This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- BLURRY OR ILLEGIBLE TEXT
- SKEWED/SLATED IMAGES
- COLORED PHOTOS
- BLACK OR VERY DARK BLACK AND WHITE PHOTOS
- UNDECIPHERABLE GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.



KONGERNET NORGE

The Kingdom of Norway

03/936664

REC'D	12	JAN	2001
WIPO	P	CT	and the state of t

Bekreftelse på patentsøknad nr

Certification of patent application no

1997 4573

PRIORITY DOCUMENT

SUBMITTED OR TRANSMITTED IN COMPLIANCE WITH RULE 17.1(a) OR (b)

This is to certify that the annexed documents are a true copy of documents received on 1999.03.31

2000.08.22

Freddy Strømmen Seksjonsleder

Clen & Olser

Ellen B. Olsen



PATENTSTYRET

31.MAR99 974573

PATENTSTYRET

31.MAR99 974573

DATENTATURET DO 1974573 / 1800 FAINDEN (PA BELLE SEKNASSINR)

(1)

portable AIR CONDITIONER COMBINED WITH TRANSCEIVER ETC.

(features beliew may also be used in other drawings/figures

Fig.1 shows:

of Iwer Mambeus patent applications).

Ball shaped, adjustable fam casing for wind direction (1),

Priction adjustment ring (12). Priction seal ring (17). Hands free lew radication picture phone. PC. TV. slarm and surveillance system (2), sintenes (13), finatening means(6), listening means (4) allowing unsestructed gir passage to egr's external auditory mastus, pin (18) lockling listening means to ear When meeded, microphone (5), dustrable ter (8), active coal filter (9), braces (7) arranged to enable user to carry heavy combinations without discomfort, light(14), radio (15), compartment (16) for automatine or emay rewind off wires to listening neams, rathergeable bettery (3), seckett for wire (11) for power to accessories, lower belt (10). keybeard for mebile phone (19) or for other accessories. Band for keeping braces/straps in position below chin (20) with or without apparatus. Magniflying glass(21)(opthous1); for seeing keyboard, display, TV, PC etc. more easily. Snap on-off couplings. Magnifying glass may also be fastened to detachable part of apparatus when using it on a table. on user's lap etc. making small TV-plature. PC-picture. mobile phone picture etc. look larger. The display may in some models be vilted upwards firm apparatus to flacilitate viewing. The apparatus may also have a loudspeaking function for phone conversations etc. without anything attached to ears etc. Users may easily pull out fastening pins (6) and hold mobile phone in hand when dialling or using PC. TVetc. Watter tight protecting case/cover with transparent: cover (22) over keyboard (preferably) and openings for air outilett, plugs. Zipper for microphone (5) or folding cover or mic outside comer with a protecting cap or microphone stick as a prolongation of the listening means (23) . Ample regulator (24) for quicker and easier observation of keyboard and display (25). or by a fastening arrangement offering varying angles, distances etc. from the user. Color display for functions above. Optionally alse camera included.

